



SESSION

STARTED

Jul 30, 2026, 07:00:00 AM

TIMEZONE

UTC

LOCATION

Operator position, Bay 3

ENDED

Jul 30, 2026, 03:00:00 PM

SAMPLING

28800 samples @ 1 Hz

NOTES

Example report — demonstration data, not a real measurement.

DURATION

8:00:00 of 8:00:00

SESSION ID

sample-0000-4000-8

KEY LEVELS

Leq

88.1

dBa

Energy average

Lmax

94.6

dBa

Loudest sample

Lmin

59.6

dBa

Quietest sample

L10

90.6

dBa

Exceeded 10% of time

L50

88.2

dBa

Median level


L90

70.5

dBa

Background level

SOUND LEVEL OVER TIME



OSHA NOISE EXPOSURE

8-HOUR TWA (PROJECTED)

87.3 dBA

DOSE (MEASURED PERIOD)

68.9%

TIME AT 85 DBA+

6:18:08

TIME AT 90 DBA+

1:31:08

Action level exceeded

PEL not exceeded

Dose is accumulated with the OSHA 5 dB exchange rate and an 80 dBA threshold; the 8-hour TWA is projected from that dose. A projection from a short sample assumes the measured conditions continue for a full shift.



SESSION EVENTS

● 18:10	First reading at or above the 85 dBA action level	86.3 dBA
● 18:23	First reading at or above the 90 dBA permissible exposure limit	90.1 dBA

METHOD & LIMITATIONS

Measurements were taken with the device microphone via the browser at 1 sample per second, with a fixed 60 dB calibration offset applied to the analyser output.

Consumer device microphones are not calibrated instruments. They compress loud sounds, roll off low frequencies, and vary between models, so absolute levels should be treated as indicative. Relative comparisons within a single session on a single device are considerably more reliable than absolute values.

For measurements used in a regulatory filing, an OSHA record, or a legal dispute, use a Type 1 or Type 2 sound level meter calibrated before and after the measurement.

Recording device: Mozilla/5.0 (Linux; Android 14; Pixel 8) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/126.0.0.0 Mobile Safari/537.36



APPENDIX — PER-MINUTE SUMMARY

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
1	07:00:00 AM	77.3	75.3	78.9	60
2	07:01:00 AM	76.7	73.4	78.9	60
3	07:02:00 AM	75.1	73.0	76.4	60
4	07:03:00 AM	76.0	73.0	78.5	60
5	07:04:00 AM	77.5	75.5	79.1	60
6	07:05:00 AM	75.6	73.2	78.6	60
7	07:06:00 AM	74.6	72.7	76.7	60
8	07:07:00 AM	77.1	75.4	78.6	60
9	07:08:00 AM	77.4	74.4	79.5	60
10	07:09:00 AM	74.9	72.5	76.7	60
11	07:10:00 AM	76.0	72.4	78.2	60
12	07:11:00 AM	77.6	75.1	79.7	60
13	07:12:00 AM	75.6	74.1	78.1	60
14	07:13:00 AM	74.8	72.7	76.4	60
15	07:14:00 AM	76.7	74.7	78.7	60
16	07:15:00 AM	77.3	74.5	79.6	60
17	07:16:00 AM	75.3	72.6	77.2	60
18	07:17:00 AM	77.8	72.2	82.8	60
19	07:18:00 AM	89.1	81.2	91.7	60
20	07:19:00 AM	88.8	87.0	90.8	60
21	07:20:00 AM	87.1	85.3	89.0	60
22	07:21:00 AM	88.9	87.3	91.2	60
23	07:22:00 AM	89.7	87.5	91.3	60
24	07:23:00 AM	88.1	85.3	90.0	60
25	07:24:00 AM	87.7	85.6	89.2	60
26	07:25:00 AM	89.7	86.9	91.6	60
27	07:26:00 AM	89.1	87.5	93.1	60
28	07:27:00 AM	87.4	85.7	88.9	60
29	07:28:00 AM	88.6	86.7	91.2	60
30	07:29:00 AM	89.6	87.9	91.5	60
31	07:30:00 AM	88.1	85.6	90.5	60
32	07:31:00 AM	87.7	85.8	89.1	60



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
33	07:32:00 AM	89.6	87.0	91.1	60
34	07:33:00 AM	89.5	87.8	90.5	60
35	07:34:00 AM	87.5	85.8	88.8	60
36	07:35:00 AM	88.3	86.2	91.0	60
37	07:36:00 AM	89.6	88.1	90.9	60
38	07:37:00 AM	88.5	85.8	90.8	60
39	07:38:00 AM	87.3	85.9	88.8	60
40	07:39:00 AM	89.4	86.6	91.0	60
41	07:40:00 AM	89.6	87.2	91.1	60
42	07:41:00 AM	87.5	86.1	88.9	60
43	07:42:00 AM	87.9	85.9	90.8	60
44	07:43:00 AM	89.6	88.1	91.1	60
45	07:44:00 AM	88.6	86.2	91.0	60
46	07:45:00 AM	87.5	85.5	88.7	60
47	07:46:00 AM	89.1	87.2	90.5	60
48	07:47:00 AM	89.6	87.6	91.5	60
49	07:48:00 AM	87.7	86.4	89.1	60
50	07:49:00 AM	88.0	85.6	90.3	60
51	07:50:00 AM	89.6	87.7	91.4	60
52	07:51:00 AM	88.8	86.9	91.3	60
53	07:52:00 AM	87.5	85.8	88.9	60
54	07:53:00 AM	88.8	87.3	90.2	60
55	07:54:00 AM	89.9	87.8	91.4	60
56	07:55:00 AM	88.0	85.7	89.5	60
57	07:56:00 AM	87.7	85.5	89.9	60
58	07:57:00 AM	89.6	87.4	91.4	60
59	07:58:00 AM	89.1	87.2	93.9	60
60	07:59:00 AM	87.6	85.5	89.6	60
61	08:00:00 AM	88.5	86.9	90.5	60
62	08:01:00 AM	89.8	87.7	91.5	60
63	08:02:00 AM	88.4	86.0	89.9	60
64	08:03:00 AM	87.6	85.4	89.3	60



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
65	08:04:00 AM	89.5	86.9	91.5	60
66	08:05:00 AM	89.2	87.8	90.8	60
67	08:06:00 AM	87.5	85.6	89.5	60
68	08:07:00 AM	88.2	86.8	89.5	60
69	08:08:00 AM	89.8	88.3	91.3	60
70	08:09:00 AM	88.7	85.7	90.4	60
71	08:10:00 AM	87.4	85.5	89.0	60
72	08:11:00 AM	89.4	86.8	91.4	60
73	08:12:00 AM	89.3	88.1	90.9	60
74	08:13:00 AM	87.6	85.8	90.1	60
75	08:14:00 AM	87.6	86.1	89.8	60
76	08:15:00 AM	89.6	88.1	91.1	60
77	08:16:00 AM	88.8	86.1	91.0	60
78	08:17:00 AM	87.5	85.9	89.0	60
79	08:18:00 AM	89.1	86.4	90.8	60
80	08:19:00 AM	89.6	88.0	91.0	60
81	08:20:00 AM	87.7	86.1	89.9	60
82	08:21:00 AM	87.8	85.8	90.0	60
83	08:22:00 AM	89.7	88.1	90.8	60
84	08:23:00 AM	89.0	86.3	91.2	60
85	08:24:00 AM	87.6	85.6	89.0	60
86	08:25:00 AM	88.9	86.1	90.7	60
87	08:26:00 AM	89.9	88.0	91.2	60
88	08:27:00 AM	88.0	86.8	90.0	60
89	08:28:00 AM	87.7	85.6	90.0	60
90	08:29:00 AM	89.4	88.0	91.2	60
91	08:30:00 AM	89.2	86.7	91.5	60
92	08:31:00 AM	87.7	85.4	92.4	60
93	08:32:00 AM	88.7	86.4	90.1	60
94	08:33:00 AM	90.0	87.8	91.4	60
95	08:34:00 AM	88.3	86.4	90.0	60
96	08:35:00 AM	87.5	85.3	89.8	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
97	08:36:00 AM	89.3	87.4	91.7	60
98	08:37:00 AM	89.4	87.2	91.3	60
99	08:38:00 AM	87.5	85.5	89.8	60
100	08:39:00 AM	88.0	86.2	89.7	60
101	08:40:00 AM	89.8	87.8	91.5	60
102	08:41:00 AM	88.5	86.3	89.8	60
103	08:42:00 AM	87.3	85.5	89.2	60
104	08:43:00 AM	89.1	86.8	91.6	60
105	08:44:00 AM	89.6	88.0	91.2	60
106	08:45:00 AM	87.7	85.5	90.3	60
107	08:46:00 AM	87.8	86.4	89.0	60
108	08:47:00 AM	89.8	88.0	91.5	60
109	08:48:00 AM	88.9	86.3	90.5	60
110	08:49:00 AM	87.5	85.7	89.0	60
111	08:50:00 AM	88.9	86.6	91.4	60
112	08:51:00 AM	89.7	88.0	91.2	60
113	08:52:00 AM	88.1	85.7	90.6	60
114	08:53:00 AM	87.8	86.1	89.1	60
115	08:54:00 AM	89.5	87.7	91.2	60
116	08:55:00 AM	89.3	86.4	91.0	60
117	08:56:00 AM	87.5	85.8	88.8	60
118	08:57:00 AM	88.8	86.0	91.1	60
119	08:58:00 AM	89.7	88.3	91.2	60
120	08:59:00 AM	88.1	86.1	90.2	60
121	09:00:00 AM	87.4	85.7	88.8	60
122	09:01:00 AM	88.1	80.3	90.9	60
123	09:02:00 AM	74.4	67.9	80.1	60
124	09:03:00 AM	68.9	66.8	70.5	60
125	09:04:00 AM	70.2	66.6	72.1	60
126	09:05:00 AM	71.6	69.6	73.3	60
127	09:06:00 AM	69.8	67.8	72.6	60
128	09:07:00 AM	68.7	66.5	70.8	60



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
129	09:08:00 AM	70.8	69.1	72.8	60
130	09:09:00 AM	71.4	67.9	73.6	60
131	09:10:00 AM	69.0	66.5	70.8	60
132	09:11:00 AM	69.5	67.1	71.8	60
133	09:12:00 AM	71.7	69.1	73.6	60
134	09:13:00 AM	70.3	68.3	72.6	60
135	09:14:00 AM	68.5	66.4	71.1	60
136	09:15:00 AM	70.6	68.8	72.7	60
137	09:16:00 AM	74.3	70.2	80.6	60
138	09:17:00 AM	87.5	79.3	90.3	60
139	09:18:00 AM	89.0	86.5	90.6	60
140	09:19:00 AM	90.7	88.2	92.3	60
141	09:20:00 AM	89.9	88.2	91.0	60
142	09:21:00 AM	88.2	86.4	90.3	60
143	09:22:00 AM	89.7	87.9	92.2	60
144	09:23:00 AM	90.8	88.7	92.5	60
145	09:24:00 AM	89.2	86.6	91.2	60
146	09:25:00 AM	89.0	86.7	90.0	60
147	09:26:00 AM	90.6	88.1	92.5	60
148	09:27:00 AM	90.1	88.6	91.5	60
149	09:28:00 AM	88.4	86.6	90.0	60
150	09:29:00 AM	89.5	87.6	91.6	60
151	09:30:00 AM	90.8	89.0	92.4	60
152	09:31:00 AM	89.3	86.9	91.7	60
153	09:32:00 AM	88.7	87.2	89.8	60
154	09:33:00 AM	90.2	87.8	91.7	60
155	09:34:00 AM	90.6	88.2	93.8	60
156	09:35:00 AM	88.5	87.1	89.8	60
157	09:36:00 AM	89.1	87.0	91.9	60
158	09:37:00 AM	90.7	89.2	92.1	60
159	09:38:00 AM	89.5	87.1	92.0	60
160	09:39:00 AM	88.3	86.9	89.7	60



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
161	09:40:00 AM	90.2	88.2	91.6	60
162	09:41:00 AM	90.4	88.2	92.1	60
163	09:42:00 AM	88.5	87.2	90.0	60
164	09:43:00 AM	89.1	86.6	91.6	60
165	09:44:00 AM	90.6	89.0	92.1	60
166	09:45:00 AM	89.7	87.7	92.2	60
167	09:46:00 AM	88.2	86.5	89.8	60
168	09:47:00 AM	90.0	88.0	91.3	60
169	09:48:00 AM	90.8	88.7	92.4	60
170	09:49:00 AM	89.0	87.2	90.4	60
171	09:50:00 AM	88.7	86.4	90.8	60
172	09:51:00 AM	90.5	88.6	92.3	60
173	09:52:00 AM	89.9	88.1	91.9	60
174	09:53:00 AM	88.4	86.4	90.4	60
175	09:54:00 AM	89.6	88.0	90.8	60
176	09:55:00 AM	90.8	88.8	92.6	60
177	09:56:00 AM	89.3	86.9	90.8	60
178	09:57:00 AM	88.7	86.6	90.6	60
179	09:58:00 AM	90.5	88.2	92.7	60
180	09:59:00 AM	90.2	88.6	92.1	60
181	10:00:00 AM	88.2	86.3	90.3	60
182	10:01:00 AM	89.2	87.6	90.7	60
183	10:02:00 AM	90.9	88.7	92.6	60
184	10:03:00 AM	89.5	86.6	91.3	60
185	10:04:00 AM	88.6	86.4	90.2	60
186	10:05:00 AM	90.3	87.8	92.5	60
187	10:06:00 AM	90.3	89.0	91.8	60
188	10:07:00 AM	88.5	86.6	90.3	60
189	10:08:00 AM	89.2	87.4	91.3	60
190	10:09:00 AM	90.8	89.1	92.5	60
191	10:10:00 AM	89.7	86.7	91.4	60
192	10:11:00 AM	88.5	86.6	89.9	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
193	10:12:00 AM	90.3	88.0	92.2	60
194	10:13:00 AM	90.5	89.3	91.9	60
195	10:14:00 AM	88.6	86.8	90.3	60
196	10:15:00 AM	88.8	87.1	91.0	60
197	10:16:00 AM	90.6	89.1	92.1	60
198	10:17:00 AM	90.0	87.0	91.9	60
199	10:18:00 AM	88.7	87.0	89.9	60
200	10:19:00 AM	90.3	86.9	94.6	60
201	10:20:00 AM	90.7	89.0	92.3	60
202	10:21:00 AM	88.8	87.3	90.4	60
203	10:22:00 AM	88.7	86.6	91.2	60
204	10:23:00 AM	90.5	89.1	91.8	60
205	10:24:00 AM	90.1	87.9	92.4	60
206	10:25:00 AM	88.4	86.4	90.1	60
207	10:26:00 AM	89.8	87.0	91.4	60
208	10:27:00 AM	90.8	88.8	92.6	60
209	10:28:00 AM	89.1	87.7	90.8	60
210	10:29:00 AM	88.5	86.4	90.6	60
211	10:30:00 AM	90.5	88.8	92.5	60
212	10:31:00 AM	90.4	88.2	92.3	60
213	10:32:00 AM	88.7	86.5	90.5	60
214	10:33:00 AM	89.2	86.9	90.8	60
215	10:34:00 AM	90.9	89.0	92.7	60
216	10:35:00 AM	89.5	87.8	90.8	60
217	10:36:00 AM	88.6	86.5	90.5	60
218	10:37:00 AM	90.2	88.1	92.4	60
219	10:38:00 AM	90.3	88.6	92.3	60
220	10:39:00 AM	88.5	86.4	90.7	60
221	10:40:00 AM	89.1	87.2	90.3	60
222	10:41:00 AM	90.9	89.2	92.6	60
223	10:42:00 AM	89.6	87.5	91.1	60
224	10:43:00 AM	88.4	86.6	90.2	60



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
225	10:44:00 AM	90.0	87.7	92.5	60
226	10:45:00 AM	90.5	88.9	92.4	60
227	10:46:00 AM	88.7	86.6	91.3	60
228	10:47:00 AM	88.7	87.5	90.1	60
229	10:48:00 AM	90.9	88.9	92.4	60
230	10:49:00 AM	90.2	87.6	91.7	60
231	10:50:00 AM	88.5	86.9	89.9	60
232	10:51:00 AM	89.9	87.1	92.8	60
233	10:52:00 AM	90.6	89.2	91.7	60
234	10:53:00 AM	89.0	87.1	91.5	60
235	10:54:00 AM	88.5	87.1	90.1	60
236	10:55:00 AM	90.5	88.7	91.9	60
237	10:56:00 AM	90.4	87.3	92.0	60
238	10:57:00 AM	88.6	87.0	89.9	60
239	10:58:00 AM	89.7	86.9	91.9	60
240	10:59:00 AM	90.7	89.0	92.2	60
241	11:00:00 AM	89.2	87.3	91.8	60
242	11:01:00 AM	86.8	75.9	89.6	60
243	11:02:00 AM	69.6	63.4	75.7	60
244	11:03:00 AM	65.6	62.2	68.2	60
245	11:04:00 AM	63.1	60.5	64.8	60
246	11:05:00 AM	63.7	59.7	66.2	60
247	11:06:00 AM	65.8	63.0	68.3	60
248	11:07:00 AM	64.0	61.4	67.3	60
249	11:08:00 AM	62.4	59.9	64.6	60
250	11:09:00 AM	65.0	62.7	67.6	60
251	11:10:00 AM	65.6	61.8	68.2	60
252	11:11:00 AM	62.7	59.8	65.1	60
253	11:12:00 AM	63.3	60.1	65.9	60
254	11:13:00 AM	65.8	62.5	68.2	60
255	11:14:00 AM	64.2	62.0	65.8	60
256	11:15:00 AM	62.2	59.6	64.4	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
257	11:16:00 AM	64.6	62.1	67.6	60
258	11:17:00 AM	65.9	62.5	68.3	60
259	11:18:00 AM	63.3	59.6	66.0	60
260	11:19:00 AM	63.2	60.1	65.3	60
261	11:20:00 AM	65.8	62.7	68.0	60
262	11:21:00 AM	64.7	62.4	66.6	60
263	11:22:00 AM	62.6	60.0	65.0	60
264	11:23:00 AM	64.0	61.6	67.2	60
265	11:24:00 AM	66.0	63.5	68.3	60
266	11:25:00 AM	63.7	59.8	66.5	60
267	11:26:00 AM	62.9	60.6	64.7	60
268	11:27:00 AM	65.5	61.8	67.9	60
269	11:28:00 AM	65.2	62.4	67.0	60
270	11:29:00 AM	62.7	60.1	64.5	60
271	11:30:00 AM	63.9	60.7	67.7	60
272	11:31:00 AM	70.1	63.7	78.9	60
273	11:32:00 AM	85.4	76.6	88.6	60
274	11:33:00 AM	86.4	84.4	88.0	60
275	11:34:00 AM	88.5	85.3	90.6	60
276	11:35:00 AM	88.7	85.9	90.7	60
277	11:36:00 AM	86.4	84.7	87.9	60
278	11:37:00 AM	87.3	84.2	90.0	60
279	11:38:00 AM	88.9	87.0	90.8	60
280	11:39:00 AM	87.8	84.8	90.8	60
281	11:40:00 AM	86.1	84.3	87.9	60
282	11:41:00 AM	88.4	86.3	90.0	60
283	11:42:00 AM	89.1	86.1	91.1	60
284	11:43:00 AM	86.8	84.8	88.5	60
285	11:44:00 AM	86.9	84.0	89.7	60
286	11:45:00 AM	88.9	86.9	91.0	60
287	11:46:00 AM	87.7	85.5	90.9	60
288	11:47:00 AM	86.1	83.9	88.0	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
289	11:48:00 AM	87.7	85.3	89.6	60
290	11:49:00 AM	89.0	86.1	91.1	60
291	11:50:00 AM	87.0	84.1	88.7	60
292	11:51:00 AM	86.6	83.7	89.1	60
293	11:52:00 AM	88.8	86.1	91.3	60
294	11:53:00 AM	88.0	85.9	90.2	60
295	11:54:00 AM	86.1	83.9	88.2	60
296	11:55:00 AM	87.6	85.6	89.9	60
297	11:56:00 AM	89.3	86.4	91.4	60
298	11:57:00 AM	87.3	84.1	89.2	60
299	11:58:00 AM	87.1	83.8	93.4	60
300	11:59:00 AM	88.7	85.6	91.0	60
301	12:00:00 PM	88.3	86.7	90.3	60
302	12:01:00 PM	86.3	83.8	89.2	60
303	12:02:00 PM	87.3	85.4	89.5	60
304	12:03:00 PM	89.2	86.9	90.9	60
305	12:04:00 PM	87.4	83.9	89.7	60
306	12:05:00 PM	86.4	84.3	88.0	60
307	12:06:00 PM	88.6	85.1	91.1	60
308	12:07:00 PM	88.5	87.0	90.3	60
309	12:08:00 PM	86.3	84.2	88.7	60
310	12:09:00 PM	87.0	85.0	89.9	60
311	12:10:00 PM	89.0	86.9	90.5	60
312	12:11:00 PM	88.0	84.5	90.5	60
313	12:12:00 PM	86.4	84.8	87.7	60
314	12:13:00 PM	88.1	84.6	90.6	60
315	12:14:00 PM	88.9	86.9	90.5	60
316	12:15:00 PM	86.5	84.7	88.3	60
317	12:16:00 PM	86.4	84.4	88.9	60
318	12:17:00 PM	88.7	86.9	90.3	60
319	12:18:00 PM	88.2	84.8	90.9	60
320	12:19:00 PM	86.2	84.2	88.1	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
321	12:20:00 PM	88.0	84.3	90.0	60
322	12:21:00 PM	89.1	86.7	91.0	60
323	12:22:00 PM	87.1	85.1	89.0	60
324	12:23:00 PM	86.5	83.9	89.3	60
325	12:24:00 PM	88.7	86.8	90.8	60
326	12:25:00 PM	88.2	85.4	91.2	60
327	12:26:00 PM	86.3	83.9	88.5	60
328	12:27:00 PM	87.6	85.0	89.5	60
329	12:28:00 PM	89.2	86.9	91.1	60
330	12:29:00 PM	87.2	85.3	89.2	60
331	12:30:00 PM	86.3	83.9	89.1	60
332	12:31:00 PM	88.3	86.2	90.8	60
333	12:32:00 PM	88.7	85.9	91.3	60
334	12:33:00 PM	86.5	83.7	88.6	60
335	12:34:00 PM	87.3	84.6	88.9	60
336	12:35:00 PM	89.2	86.6	91.1	60
337	12:36:00 PM	87.7	85.4	89.2	60
338	12:37:00 PM	86.1	84.0	88.4	60
339	12:38:00 PM	88.2	85.8	91.1	60
340	12:39:00 PM	88.9	86.5	91.0	60
341	12:40:00 PM	86.4	83.8	89.1	60
342	12:41:00 PM	87.4	85.1	94.1	60
343	12:42:00 PM	89.1	86.7	91.1	60
344	12:43:00 PM	87.8	85.2	89.9	60
345	12:44:00 PM	86.1	84.2	88.0	60
346	12:45:00 PM	88.0	85.6	90.9	60
347	12:46:00 PM	88.9	86.8	90.6	60
348	12:47:00 PM	87.0	84.1	89.9	60
349	12:48:00 PM	86.5	84.8	87.9	60
350	12:49:00 PM	88.9	86.8	90.7	60
351	12:50:00 PM	88.4	85.2	90.2	60
352	12:51:00 PM	86.4	84.5	87.9	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
353	12:52:00 PM	87.6	84.6	90.5	60
354	12:53:00 PM	89.0	87.3	90.7	60
355	12:54:00 PM	86.8	84.6	89.5	60
356	12:55:00 PM	86.2	84.3	88.5	60
357	12:56:00 PM	88.6	86.8	90.2	60
358	12:57:00 PM	88.6	84.9	90.7	60
359	12:58:00 PM	86.5	84.2	88.2	60
360	12:59:00 PM	87.6	84.2	90.0	60
361	01:00:00 PM	89.2	87.0	91.0	60
362	01:01:00 PM	87.3	85.0	89.7	60
363	01:02:00 PM	86.2	84.0	88.0	60
364	01:03:00 PM	88.5	86.6	90.3	60
365	01:04:00 PM	88.9	85.8	91.2	60
366	01:05:00 PM	86.5	84.2	88.4	60
367	01:06:00 PM	87.3	84.3	89.5	60
368	01:07:00 PM	89.1	86.5	91.1	60
369	01:08:00 PM	87.4	85.8	89.9	60
370	01:09:00 PM	86.0	83.7	88.0	60
371	01:10:00 PM	88.2	86.0	90.1	60
372	01:11:00 PM	89.0	86.3	91.4	60
373	01:12:00 PM	86.7	83.8	89.0	60
374	01:13:00 PM	87.0	84.4	88.8	60
375	01:14:00 PM	89.1	86.2	91.2	60
376	01:15:00 PM	87.8	85.9	89.9	60
377	01:16:00 PM	86.2	83.9	87.9	60
378	01:17:00 PM	88.0	85.6	92.6	60
379	01:18:00 PM	89.1	86.8	91.3	60
380	01:19:00 PM	87.1	84.3	89.7	60
381	01:20:00 PM	86.6	84.3	88.2	60
382	01:21:00 PM	88.8	85.6	91.1	60
383	01:22:00 PM	88.1	86.2	89.8	60
384	01:23:00 PM	86.3	84.5	88.1	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
385	01:24:00 PM	87.4	85.3	90.4	60
386	01:25:00 PM	89.0	87.3	90.6	60
387	01:26:00 PM	87.3	84.1	90.2	60
388	01:27:00 PM	86.4	84.5	87.8	60
389	01:28:00 PM	89.0	85.7	90.4	60
390	01:29:00 PM	88.4	86.3	90.4	60
391	01:30:00 PM	86.4	84.4	88.1	60
392	01:31:00 PM	85.5	79.8	88.2	60
393	01:32:00 PM	73.7	68.6	80.8	60
394	01:33:00 PM	69.1	66.2	72.1	60
395	01:34:00 PM	67.8	65.8	69.5	60
396	01:35:00 PM	69.8	66.7	71.8	60
397	01:36:00 PM	70.3	67.9	72.0	60
398	01:37:00 PM	68.0	66.4	69.7	60
399	01:38:00 PM	68.4	65.7	71.6	60
400	01:39:00 PM	70.4	68.4	72.3	60
401	01:40:00 PM	69.3	66.6	71.7	60
402	01:41:00 PM	67.6	65.7	69.2	60
403	01:42:00 PM	69.7	67.8	71.2	60
404	01:43:00 PM	70.5	67.5	72.3	60
405	01:44:00 PM	71.6	67.1	78.1	60
406	01:45:00 PM	88.5	77.4	91.4	60
407	01:46:00 PM	91.2	89.1	93.0	60
408	01:47:00 PM	90.5	88.4	93.0	60
409	01:48:00 PM	88.9	87.0	90.6	60
410	01:49:00 PM	90.3	88.2	91.9	60
411	01:50:00 PM	91.5	89.0	93.2	60
412	01:51:00 PM	89.7	87.2	91.3	60
413	01:52:00 PM	89.1	86.9	91.1	60
414	01:53:00 PM	91.0	88.5	93.2	60
415	01:54:00 PM	90.6	89.1	92.3	60
416	01:55:00 PM	88.8	86.8	91.1	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
417	01:56:00 PM	89.7	88.4	92.0	60
418	01:57:00 PM	91.2	89.4	92.9	60
419	01:58:00 PM	89.8	87.1	91.5	60
420	01:59:00 PM	89.0	87.1	90.5	60
421	02:00:00 PM	90.8	88.2	92.9	60
422	02:01:00 PM	90.8	89.3	92.3	60
423	02:02:00 PM	89.1	87.2	91.2	60
424	02:03:00 PM	89.6	88.0	91.8	60
425	02:04:00 PM	91.4	89.4	94.4	60
426	02:05:00 PM	90.1	87.2	92.2	60
427	02:06:00 PM	89.0	87.1	90.4	60
428	02:07:00 PM	90.6	88.0	92.4	60
429	02:08:00 PM	91.2	89.6	92.4	60
430	02:09:00 PM	89.1	87.4	91.3	60
431	02:10:00 PM	89.5	87.7	91.9	60
432	02:11:00 PM	91.1	89.6	92.5	60
433	02:12:00 PM	90.3	87.6	92.4	60
434	02:13:00 PM	88.9	87.5	90.2	60
435	02:14:00 PM	90.5	87.4	92.3	60
436	02:15:00 PM	91.3	89.6	92.8	60
437	02:16:00 PM	89.4	87.9	91.4	60
438	02:17:00 PM	89.3	87.1	91.2	60
439	02:18:00 PM	91.0	89.5	92.4	60
440	02:19:00 PM	90.7	88.1	92.9	60
441	02:20:00 PM	89.0	87.1	90.6	60
442	02:21:00 PM	90.3	87.8	91.7	60
443	02:22:00 PM	91.5	89.5	93.1	60
444	02:23:00 PM	89.7	88.0	91.0	60
445	02:24:00 PM	89.1	86.8	91.3	60
446	02:25:00 PM	91.0	89.3	92.6	60
447	02:26:00 PM	90.5	88.4	92.9	60
448	02:27:00 PM	88.8	87.0	90.5	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter



APPENDIX — PER-MINUTE SUMMARY (CONTINUED)

MINUTE	CLOCK TIME	LEQ DBA	MIN DBA	MAX DBA	SAMPLES
449	02:28:00 PM	90.0	88.0	91.3	60
450	02:29:00 PM	91.4	89.4	93.0	60
451	02:30:00 PM	90.0	87.9	91.2	60
452	02:31:00 PM	89.1	86.9	93.7	60
453	02:32:00 PM	90.8	88.6	93.0	60
454	02:33:00 PM	90.8	89.1	92.7	60
455	02:34:00 PM	89.2	86.8	91.3	60
456	02:35:00 PM	89.4	88.0	90.9	60
457	02:36:00 PM	91.4	89.3	92.8	60
458	02:37:00 PM	90.1	87.6	91.5	60
459	02:38:00 PM	88.9	87.1	90.6	60
460	02:39:00 PM	90.6	88.1	92.8	60
461	02:40:00 PM	91.0	89.5	92.8	60
462	02:41:00 PM	88.6	83.1	91.8	60
463	02:42:00 PM	79.5	75.6	84.2	60
464	02:43:00 PM	81.0	78.4	83.1	60
465	02:44:00 PM	80.0	76.3	82.5	60
466	02:45:00 PM	77.5	74.8	79.3	60
467	02:46:00 PM	79.9	75.4	83.3	60
468	02:47:00 PM	80.8	78.6	83.1	60
469	02:48:00 PM	78.2	75.3	82.0	60
470	02:49:00 PM	77.8	74.9	80.9	60
471	02:50:00 PM	80.7	78.4	83.1	60
472	02:51:00 PM	80.3	75.9	83.2	60
473	02:52:00 PM	77.5	75.2	79.4	60
474	02:53:00 PM	79.3	74.7	82.6	60
475	02:54:00 PM	81.1	78.3	83.1	60
476	02:55:00 PM	78.3	75.4	81.9	60
477	02:56:00 PM	77.4	74.4	79.8	60
478	02:57:00 PM	80.1	77.5	82.7	60
479	02:58:00 PM	81.1	76.5	83.8	60
480	02:59:00 PM	77.7	74.1	79.6	60

Uncalibrated device measurement — not a substitute for a Type 1/2 sound level meter